

# LA PASSIONE DI EVOLVERE

### WHY STILO?

The name Stilo comes from the tool used by the Bronze Age to write, to imprint their first thoughts, their first ideas, their first concepts.

In time the word "stilo" evolved to "style", that is the way each person uses a stilo: your own style. And our style is that of making products that leave a mark, exactly like a stilo in our ancestors wax boards.

### **OUR PHILOSOPHY**


Top functionality. Everything a driver needs must be standard feature: intercom, connections, earmuffs, drinking system, etc.

### EMPLOYEES

30

### COUNTRIES WE EXPORT TO

46 including United States, Australia, Japan, South Africa and South America over 5 continents.





# RALLY RANGE

### More Information

| ⊳                | Accessories                    | <br>09 |
|------------------|--------------------------------|--------|
| ⊳                | Intercoms and<br>communication | <br>10 |
| $\triangleright$ | Bags, watch, etc               | 33     |





- The open-face helmet designed around the intercom
- Stilo audio quality and features
- Microphone boom and plug integrated
- A range with no equal in 4 different materials
- Adjustments: microphone position, peak, earmuffs pressure
- Optional set up: adjustable short visor
- WRC DES Zero 8860 accessories included: 2 visors, visor fitting kit, helmet bag

Accessories and technical features at page 08



# WRC DES

## 13 TIME WORLD RALLY CHAMPION

"Since our first year in WRC (2008 Junior/WRC), we have been convinced that Stilo's equipment would be the best available in Rally competitions. The quality of the radio system and the comfort of the helmet, but also, the additional protection due to the shape of the microphone boom, made us feel always safe"

Julien Ingrassia

"To me Stilo helmets are just the best, in terms of comfort and light weight, look and the quality of the radio system"

Sébastien Ogier



WRC >== ZERO 8860



WRC ⊃== 8860



WRC ⊃== Carbon Piuma



Composite

|                               |             | WRC DES<br>ZERO 8860          | WRC DES<br>8860               | WRC DES<br>CARBON PIUMA       | WRC DES<br>COMPOSITE                              |
|-------------------------------|-------------|-------------------------------|-------------------------------|-------------------------------|---|
| Material                      |             | high tensile<br>carbon        | medium tensile<br>carbon      | normal tensile<br>carbon      | fiberglass - kevlar MSF<br>(Multi Sandwich Fiber) |
| Weight<br>(intercom           | small shell | 1.120 g                       | 1.300 g                       | 1.200 g                       | 1.450 g   |
| (Intercom<br>included) +-30 g | large shell | 1.170 g                       | 1.350 g                       | 1.280 g                       | 1.530 g   |
| small shell                   |             |                               |                               |                               |   |
| Size                          | large shell |                               | L 59, XL 61                   |                               | L 59, XL 61, XXL 63,<br>XXXL 64                   |
| Version                       |             | AA0210BG3H Hans               | AA0210BG1D Hans               | AA0210BG1M Hans               | AA0210BG2M Hans                                   |
| Homologation                  |             | FIA 8860-2010<br>SNELL SA2010 | FIA 8860-2010<br>SNELL SA2005 | FIA 8859-2015<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015                     |





- Stilo exclusive MSF structure (Multi Sandwich Fibers) with Kevlar® reinforcements
- Plus: with adjustable earmuffs and WRC intercom
- Rally: with speakers and Trophy intercom
- Jet: ready for the intercom fitment
- Adjustment: peak
- Optional set up: adjustable short visor

Accessories and technical features at page 08



# TROPHY DES

### STILO QUALITY AT THE BEST PRICE

"Because every second is important, we are always looking for perfection. That's why I've chosen Stilo helmets. They combine optimal safety with an exceptional comfort and a unique desiqn"

Thierry Neuville

"The quality of Stilo's products means that we can be confident of having the best equipment for the job. Out on the stages, it's very important that I hear the pacenotes clearly and the quality of Stilo's radio system is second to none. Their products are comfortable, and safe, and allow us to perform at the very highest level of the FIA World Rally Championship"

Ott Tanak





TROPHY >== PLUS



TROPHY >== RALLY



|                               |             | TROPHY PLUS                   | TROPHY RALLY                  | TROPHY JET                    |
|-------------------------------|-------------|-------------------------------|-------------------------------|-------------------------------|
| Material                      |             |                               |                               |                               |
| Weight                        | small shell | 1.450 g                       | 1.350 g                       | 1.300 g                       |
| (intercom<br>included) +-30 g | large shell | 1.530 g                       | 1.430 g                       | 1.380 g                       |
| Size                          | small shell |                               | XS 54, S 55, M 57             |                               |
| Size                          | large shell |                               | L 59, XL 61, XXL 63, XXXL 64  |                               |
| Version                       |             | AA0110EG2M Hans               | AA0110DF2M<br>AA0110DG2M Hans | AA0110AF2M<br>AA0110AG2M Hans |
| Homologation                  |             | FIA 8859-2015<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015 |



- The only one with integrated plugs
- Much lighter
- Smallest shell
- Increased vision
- More comfortable
- Adjustments: microphone mouth distance, sun screen, ear area customization, short and long visors.

Accessories and technical features at page 08



# INNJOC

ST5R

THE RALLY

"At the top level in . Motorsport we have

"I chose Stilo WRC helmet for its stylish design but all the more so its excellent audio quality and great comfort"

Kris Meeke

Dani Sordo





Carbon

Composite

|                               |             | ST5R<br>ZERO 8860             | ST5R<br>8860                  | ST5R<br>CARBON                | STSR<br>COMPOSITE                                 |  |
|-------------------------------|-------------|-------------------------------|-------------------------------|-------------------------------|---|--|
| Material                      |             | high tensile<br>carbon        | medium tensile<br>carbon      | normal tensile<br>carbon      | fiberglass - kevlar MSF<br>(Multi Sandwich Fiber) |  |
| Weight                        | small shell | 1.235 g                       | 1.405 g                       | 1.385 g                       | 1.555 g   |  |
| (intercom<br>included) +-30 g | large shell | 1.335 g                       | 1.505 g                       | 1.435 g                       | 1.695 g   |  |
| Size                          | small shell | XS 54, S 55, M 57, L 59       |                               |                               |   |  |
| 5120                          | large shell |                               | L 60, XL 61, X                | XL 63, XXXL 64                |   |  |
| Version                       |             | AA0701BG3N Hans               | AA0701BG1N Hans               | AA0701BG1M Hans               | AA0701BG2M Hans                                   |  |
| Homologation                  |             | FIA 8860-2010<br>SNELL SA2015 | FIA 8860-2010<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015                     |  |



"I choose the Stilo WRC because it is very comfortable and the sound quality is excellent"

Carlos Sainz - Dakar



"For me the Stilo helmet is the best because of its lightness and its comfort especially during the long stages of the Dakar rally. And also due to its sound quality"

Stéphane Peterhansel - Dakar







"I have tested every helmet on the market. I chose Stilo for the best audio quality the best comfort. The WRC's fixed boom offers safety and a microphone that does not move is easier to use"

Sébastien Loeb - FIA World Rallycross Championship



"Since 2010, I have been using a Stilo helmet, whether driving a prototype in endurance, GT or rallying. These helmets combine lightweight performance with comfort, which isn't always the case. I also like the opening of the visor, which varies depending on the model or make. I've worn Stilo helmets while driving in all types of conditions and all types of cars. Each time, I have been satisfied"

Romain Dumas - Pikes Peak International Hill Climb



### ADJUSTABLE PEAKS

The peak can be lowered allowing good visibility to the driver even when the sun is low on the horizon.



ADJUSTABLE SUNSCREEN

The sunscreen can be lowered allowing good visibility to the driver even when the sun is low on the horizon.

SHORT VISORS

High optical quality flipup visor (optional).



Stile

### EARMUFFS

Certified for rally and racing use, they make the helmet perfectly soundproof. The pressure on the driver's head can be adjusted with special foam paddings of various thicknesses to be positioned with Velcro right behind the earnuffs.





ADJUSTABLE MICROPHONE

Dedicated spacers to adjust the position with respect to the driver's mouth come as standard equipment.



Fixed in the helmet interior and realized with a special flex pipe able to grant maximum stability and precise adjustment.



### accessories



### PEAKS

- ▷ YA0226 Silver
  - WRC DES COMPOSITE
     TROPHY DES PLUS
- ▷ YA0227 Carbon
  - WRC DES 8860
     WRC DES CARBON PIUMA
- YA0675 Carbon
   WRC DES ZERO 8860
  - WRC DES ZERO 000
- YA0111 Black
  - TROPHY DES RALLY • TROPHY DES JET



SUNSCREEN

YA0816
 ST5R RANGE



### SHORT VISORS

- ▷ YA0240 Mirror Dark
- YA0241 Iridium Blue Dark
- ▷ YA0230 Smoked Dark
- ▷ YA0229 Yellow
- ▷ YA0709 Red Light
  - WRC DES RANGE
     TROPHY DES RANGE



SCREW KIT FOR PEAK ONLY

- ⊳ **YA0114**
- WRC DES RANGE
   TROPHY DES RANGE



AE0210

AE0210
 WRC DES RANGE
 ST5R RANGE



00

SCREW KIT FOR VISORS OR SUNSCREEN

⊳ **YA0817** 

ST5R RANGE



SCREW KIT FOR PEAK AND VISOR

⊳ **YA0242** 

WRC DES RANGE
 TROPHY DES RANGE

### SPARE INTERCOM KIT



Plus vers AE0110

AE0110
 TROPHY DES PLUS

TROPHY DES PLUS
 TROPHY DES JET



Rally version AE0111

▷ AE0111

TROPHY DES RALLY
 TROPHY DES JET

### DRINKING SYSTEM

| ⊳ <b>YA0600</b> | Inner side of the<br>helmet YA0601 +<br>YA0602 + YA0603      |
|-----------------|--|
| ⊳ <b>YA0601</b> | Bite valve in silicon<br>rubber with<br>anti-backflow system |
| ⊳ <b>YA0602</b> | Water tube   |
| ⊳ <b>YA0603</b> | Male quick coupling  |
| ⊳ <b>YA0604</b> | Female quick coupling  |
| ⊳ <b>YA0605</b> | Hydration bag<br>+ tube + YA0604                             |
| • ST5R RAN      | GE   |



ST5R SHORT VISORS


- YA0836 Iridium blu dark
- YA0837 Iridium red dark
- ▶ YA0838 Iridium yellow dark
- ▷ YA0854 Mirror dark

ST5R RANGE



# DIGITAL ACTIVE NOISE CANCELLATION


Why Digital? The next generation of Stilo digital intercoms offers a dramatic step forward with its active digital noise cancelling. Digital, unlike the limited capabilities of old analog intercoms, has the capability of active digital noise cancelling, which in a millisecond can separate the vitally important sound of the drivers voices from the excessive bad noises of the engine, transmissions and road surface and filter these right down while improving the more important sound of the communications between driver and co-driver. A whole new world in rally sport communications is now available from Stilo.



**Remote control panel** 

### DG-30

### THE STILO DIGITAL INTERCOM THAT HAS WON THE LAST 2 WORLD RALLY CHAMPIONSHIPS WITH VOLKSWAGEN



DG-10

DEVELOPED DIRECTLY FROM DG30:

SAME DIGITAL ACTIVE NOISE

CANCELLATION WITH

# WRC DES 9V

The best of Stilo's analogic noise cancellation available thanks to the "Extra Filter". Fed from the car power supply and 9V battery. Bluetooth connection with mobile telephones not available.



Plug

- The best analogic Stilo audio quality and the maximum ease of use at a price with no equal
- Camera or Radio connection
- Powered by a 9 volt battery or fed from the car power supply.

▷ AB0214 WRC DES 9V





Camera/Radio connection

Camera out (low or high level) or radio IN switch

Extra Filter even more effective. Moving the switch to "Extra Filter" the background noises are strongly damped and the co-driver voice's louder to the driver. Since the driver's voice sounds lower to the co-driver, it is recommended that the Extra Filter is set to off during transfers.



# WRC Ø3

Specifically designed for roll-bars fitment. ON/OFF control with the co-driver plug-in (never to forget to switch the intercom off); separated volumes, 9 V standard power supply and 12 V available option. Stilo specific cables for fastening safety belts. Camera connection.

▷ AB0200 WRC 03







Camera connection

# TROPHY 2

- Individual volume controls
- 9 Volt battery o 12 Volt optional adapter; wirings
- Camera connection
- ON/OFF Led
- High quality metal jacks
- Special design for roll-bar fitting.
- ▷ AB0102 TROPHY 2







rally



OPEN-FACE KIT WITH EARMUFFS

WRC intercom kit for open-face helmets with earmuffs.

▷ AE0104



FULL-FACE KIT WITH EARMUFFS WRC intercom kit for full-face helmets with earmuffs.

▷ AE0105



POWER SUPPLY

12V power supply for WRC 03 and Trophy intercoms.

⊳ YB0100



CAMERA CONNECTION

▷ YB0312 Wirings to connect cameras



### FULL-FACE HELMETS KIT

Full-face helmet kit composed of ultra thin speakers, noise cancelling magnetic-dynamic microphone and professional jack (WRC connection).

▷ AE0102



DPEN-FACE HELMETS KIT Same as the full-face helmet kit but with a flexible microphone boom.

▷ AE0103



ADAPTERS

| ⊳ <b>AC0100</b> | Adapter Stilo Trophy<br>Rally helmet /<br>Terraphone intercom |
|-----------------|---|
| ⊳ AC0101        | Adapter Stilo Trophy<br>intercom /<br>Terraphone helmet       |

### WIRING CONNECTION

| ⊳ <b>YB0307</b> | Intercom - helmet<br>extension cable 1.8 m |
|-----------------|--|
| ⊳ YB0317        | Intercom - helmet<br>extension cable 0.4 m |



FULL-FACE HELMETS KIT

Full-face helmet kit composed of ultra thin speakers, noise cancelling microphone and jack plug (Trophy intercom).

⊳ AE0100



DPEN-FACE HELMETS KIT Same Trophy intercom kit as the full-face version but with a flexible boom.

▷ AE0101



 ► AC0201 Adapter Stilo WRC intercom / Peltar intercom (or similar)
 ► AC0200 Adapter Stilo WRC intercom / Peltar helmet (or similar)



EMERGENCY KIT

Spare electronics kit: it is like carrying a spare helmet in the co-driver bag.

⊳ YA0001

### headsets



### WRC EVO HEADSET

Improved comfort and noise protection through new flexible support arches and gel pads. Flexible boom for a quick and optimal positioning.



Spare hygienic kit for WRC EVO headset



WRC DES - TROPHY HEADSETS

Excellent noise protection, maximum comfort, "flex" boom, no joints. WRC professional electronics (AD0210). TROPHY professional electronics (AD0110).





Spare hygienic kit for AD0210 and AD0110 headsets



AD0210

# rally

### products compatibility

# WRC DES RANGE










WRC DES RANGE

TROPHY DES PLUS










# TROPHY DES RANGE















### More Information

| ⊳                | Accessories                    | <br>23 |
|------------------|--------------------------------|--------|
| ⊳                | Intercoms and<br>communication | <br>29 |
| $\triangleright$ | Bags, watch, etc               | <br>33 |





FIA 8860-2010 SNELL SA2015 ST5F N ZERO 8860

- Much lighter
- Smallest shell
- Increased vision
- More comfortable
- More aerodynamic
- Better driver ventilation
- Multi function visor locking clasp
- Prepared for frontal drinking system
- Adjustments: microphone mouth distance, ear area customization

Accessories and techincal features at page 23



# ST5F N

"I choose Stilo helmets for their comfort and innovation. I feel they are leaders in radio systems for helmets as it gives the best quality communication for teams and drivers"

Earl Bamber

"I'm very happy to be continuing with Stilo next year for a fourth year and my second season of Formula 1. It's an easy decision for me because I believe the helmet is the best there is, in terms of comfort and weight and the service is extremely professional"

Jolyon Palmer



Visor locking system central with double click











### ST5F Available also with integrated plugs

### Versions

AA0700CG3N Hans AA0700CG1N Hans AA0700CG1M Hans AA0700CG2M Hans

|              |             | ST5F N ST5F N<br>ZERO 886Ø 886Ø |                               | ST5F N<br>CARBON              | STSF N<br>COMPOSITE                               |  |
|--------------|-------------|---------------------------------|-------------------------------|-------------------------------|---|--|
| Material     |             | high tensile<br>carbon          | medium tensile<br>carbon      | normal tensile<br>carbon      | fiberglass - kevlar MSF<br>(Multi Sandwich Fiber) |  |
| Weight       | small shell | 1.200 g                         | 1.370 g                       | 1.350 g                       | 1.520 g   |  |
| +-30 g       | large shell | 1.300 g                         | 1.470 g                       | 1.400 g                       | 1.660 g   |  |
| Size         | small shell | XS 54, S 55, M 57, L 59         |                               |                               |   |  |
| Size         | large shell |                                 | L 60, XL 61, X                | KL 63, XXXL 64                |   |  |
| Version      |             | AA0710AG3N Hans                 | AA0710AG1N Hans               | AA0710AG1M Hans               | AA0710AG2M Hans                                   |  |
| Homologation |             | FIA 8860-2010<br>SNELL SA2015   | FIA 8860-2010<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015                     |  |

racing



# ST5GT

"I feel very honoured and privileged to have the support of the best helmet manufacturer in motorsports. The balance of design, style, comfort and safety is second to none"

Rob Huff

"A very lightweight, very comfortable helmet, and one thing that I really enjoy is the visibility it guarantees. The exterior design is a bit futuristic, the lining is beautiful, and it highlights the original styling with a look that I like very much"

Luca Ghiotto









### STSGT N Available also without integrated plugs

### Versions

AA0712AG3N Hans AA0712AG1N Hans AA0712AG1M Hans AA0712AG1M Hans

| Accessories and | techincal | features at | nage 23 |
|-----------------|-----------|-------------|---------|
|                 |           |             |         |

• Multi function visor locking clasp

• Only helmet with integrated plugs

• Prepared for side and frontal drinking system

• Adjustments: microphone position, ear area customization, sunscreen

Smallest Shell

Increased Vision

• More Comfortable

• More Aerodynamic

Better Driver Ventilation





|              |             | STS GT<br>ZERO 8860             | ST5 GT<br>8860                | ST5 GT<br>CARBON              | ST5 GT<br>COMPOSITE                               |  |
|--------------|-------------|---------------------------------|-------------------------------|-------------------------------|---|--|
| Material     |             | high tensile<br>carbon          | medium tensile<br>carbon      | normal tensile<br>carbon      | fiberglass - kevlar MSF<br>(Multi Sandwich Fiber) |  |
| Weight       | small shell | 1.130 g                         | 1.300 g                       | 1.280 g                       | 1.450 g   |  |
| +-30 g       | large shell | 1.230 g                         | 1.400 g                       | 1.330 g                       | 1.590 g   |  |
| Size         | small shell | XS 54, S 55, M 57, L 59         |                               |                               |   |  |
| Size         | large shell | L 60, XL 61, XXL 63, XXXL 64    |                               |                               |   |  |
| Version      |             | AA0702CG3N Hans AA0702CG1N Hans |                               | AA0702CG1M Hans               | AA0702CG2M Hans                                   |  |
| Homologation |             | FIA 8860-2010<br>SNELL SA2015   | FIA 8860-2010<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015                     |  |



"When it comes to my racing helmet I refuse to compromise and that's why I choose Stilo. The latest helmet is a market leader in every way. Its noticeably lighter than my team mates in a sport where every gram counts"

Oliver Jarvis - Jackie Chan DC Racing - WEC



"I choose Stilo helmets for their comfort and innovation. I feel they are leaders in radio systems for helmets as it gives the best quality communication for teams and drivers"

Earl Bamber - Porsche LMP1 Team - WEC Champion



"I love using Stilo because it just works how it should. All the extras on the helmet like drinking, air ventilation, radio...are easy to use and this is very important for me driving in a closed car"

Laurens Vanthoor - Porsche GT Team - MOTUL PETIT LE MANS

"Since the first time I tried a Stilo helmet I have been immediately satisfied. Stilo company combines high technology and professionalism. People at Stilo are always ready to satisfy any request and open to listen the driver feedback. It's been now almost 10 years that I have been wearing Stilo helmets and I am so glad to continue this cooperation for the future"

Gianmaria Bruni - Porsche GT Team - MOTUL PETIT LE MANS



"Since 2010, I have been using a Stilo helmet, whether driving a prototype in endurance, GT or rallying. These helmets combine lightweight performance with comfort, which isn't always the case. A primary example is how the positioning fits me well. I also like the opening of the visor, which varies depending on the model or make. In an open cockpit car, the aerodynamics also play an important role and the Stilo helmet that I use has always been up to the task. I've worn Stilo helmets while driving in all types of conditions and all types of cars. Each time, I have been satisfied"

Romain Dumas - Team - 24 Hours of Nürburgring

racing

FIA 8859-2015 SNELL SA2015

FIA 8859-2015

SNELL SA2015



- The open-face helmet designed around the intercom
- Stilo audio quality and features
- Microphone boom and plug integrated
- A range with no equal in 4 different materials
- Adjustments: microphone position, peak, earmuffs pressure
- Optional set up: adjustable short visor
- WRC DES Zero 8860 Turismo accessories included: 2 visors, visor fitting kit, helmet bag

Accessories and techincal features at page 23





# OPEN FRCE

# THE OPEN-FACE

"I have been using Stilo for almost 10 years now, I could not be more pleased, safe and happy than I am by using Stilo in all my races. From the helmet to all the members of the Stilo factory I want to say thank you for all the hard work and for the great helmets they provide to us racing drivers. I hope to stay with Stilo for many years and keep winning races together with the best helmet out there."

Álvaro Parente

"The helmet was very light and comfortable, so it was surprise for me. Only good impressions while using it"

Sergey Sirotkin



WRC >== 8860 Turismo FIA 8860-2010 SNELL SA2005



WRC ⊃== Carbon Piuma Turismo



WRC >=== Composite Turismo TROPHY >== Jet

|              |             | WRC DES<br>ZERO<br>TURISMO            | WRC DES<br>8860<br>TURISMO    | WRC DES<br>CARBON PIUMA<br>TURISMO | WRC DES<br>COMPOSITE<br>TURISMO | TROPHY DES<br>JET              |
|--------------|-------------|---------------------------------------|-------------------------------|------------------------------------|---------------------------------|--------------------------------|
| Material     |             | high tensile<br>carbon                | medium tensile<br>carbon      | normal tensile<br>carbon           | fiberglass -<br>(Multi Sanc     |                                |
| Weight       | small shell | 1.000 g                               | 1.180 g                       | 1.080 g                            | 1.330 g                         | 1.300 g                        |
| +-30 g       | large shell | 1.050 g                               | 1.230 g                       | 1.160 g                            | 1.380 g                         | 1.380 g                        |
| e            | small shell |                                       |                               | XS 54, S 55, M 57                  |                                 |                                |
| Size         | large shell | L 59, XL 61 L 59, XL 61, XXL 63, XXXL |                               |                                    | (L 63, XXXL 64                  |                                |
| Version      |             | AA0210CG3H Hans                       | AA0210CG1D Hans               | AA0210CG1M Hans                    | AA0210CG2M Hans                 | AA0110AF2M,<br>AA0110AG2M Hans |
| Homologation |             | FIA 8860-2010<br>SNELL SA2010         | FIA 8860-2010<br>SNELL SA2005 | FIA 8859-2015<br>SNELL SA2015      | FIA 8859-2015<br>SNELL SA2015   | FIA 8859-2015<br>SNELL SA2015  |







"The Stilo boys and girls provide the best costumer support in racing, they are always there for you. There are also many options available in order to customize the interior of the helmet, so the confort is optimized"

Luca Filippi - NIO Formula E Team - FIA Formula E



# racing

### ST5 accessories



### ST5 VISORS

Anti-fog and anti-scratch visors. Note: to preserve the applied anti-fog inside treatment, visors should NOT be cleaned with water-based products.





ST5 SHORT VISORS

| ⊳ <b>YA0836</b> | Iridium blu dark    |
|-----------------|---------------------|
| ⊳ <b>YA0837</b> | Iridium red dark    |
| ⊳ <b>YA0838</b> | Iridium yellow dark |
| ⊳ <b>YA0854</b> | Mirror dark         |



TEAR-OFF

▷ YA0820 Package (3 tear-off films sticked together), 4 pieces kit

YA0829 Package (10 tear-off films sticked together), 3 pieces kit





VISORS

High optical quality flipup visor.

ADJUSTABLE PEAKS

is low on the horizon.

The peak can be lowered allowing good visibility to the driver even when the sun

The peak can be fitted alone or with visors.



VISOR SUN STRIP STICKER

▷ YA0821



SUN SCREEN SHORT VISOR

⊳ **YA0816** 

00

SCREW KIT FOR ST5 VISORS OR SUN SCREEN SHORT VISOR

⊳ YA0817



VISOR LOCKING SYSTEM

⊳ **YA0818** 



 ▶ YA0862
 ST5 carbon peak

 ▶ YA0863
 ST5 carbon 8860 peak



SCREW KIT FOR ST5 PEAK AND VISOR

⊳ **YA0864** 



SCREW KIT FOR ST5 PERK

# 0


VISOR AND TEAR-OFF TOOL

### ST5 accessories




AIR INTAKE Designed for multiple fitments with dedicated fixation tape.

▷ YA0822
 ▷ YA0861 Lower profile



FRONT SPOILER Stabilizes aerodynamic vibrations at high speed (position as shown in picture).

▷ YA0823▷ YA0674



ADJUSTABLE MICROPHONE Dedicated spacers to adjust the position

with respect to the driver's mouth come as standard equipment.

• ST5F / GT RANGE





SPARE REMOVABLE EARMUFFS

ST5 are homologated FIA 8860-2010 with integrated earmuffs that offer excellent insulation from external noise and are certified for use in racing.

⊳ YA0002

• ST5 RANGE
 • OPEN FACE CIRCUIT RANGE



Preparation for frontal

drinking system




Internal chin pad



Silicone rubber bite valve with anti-backflow system





DRINKING SYSTEM

ST5 is homologated with a drinking system integrated.

| ⊳ | YA0600 | Inner side of the<br>helmet YA0601 +<br>YA0602 + YA0603      |
|---|--------|--|
| ⊳ | YA0601 | Bite valve in silicon<br>rubber with<br>anti-backflow system |
| ⊳ | YA0602 | Water tube   |
| ⊳ | YA0603 | Male quick coupling  |
| ⊳ | YA0604 | Female quick coupling  |
| ⊳ | YA0605 | Hydration bag<br>+ tube + YA0604                             |

• ST5F / GT RANGE



SPARE SOFT CUPS Developed for usage with ear plugs.

### ▷ YA0016

• ST5 RANGE • OPEN FACE CIRCUIT RANGE



QUICK COUPLING

Quick coupling for drinking system with antibackflow valve. The coupling assembly is designed to allow the driver a quick evacuation. In case of emergency indeed, by just a slight tug, the coupling slips off releasing the driver.



SPARE INTERCOM KIT

⊳ AE0211

• OPEN FACE CIRCUIT RANGE

### ST5 accessories


# racing






Summer


Winter



GT AIR FLOW 100%







Internal chin pad with holes to adjust the airflow



45° cuff for Ø 1.5 inches to helmet top air oval hose.

### ▷ YA0714

• YA0833 • YA0834

• YA0856

• YA0857





to the fixation system you can fit it more than once replacing the dedicated fixation tape.

### With flow adjuster:

| ⊳ | YA0833        | Adjustable top air system<br>sizes from XS 54 to L 59   |
|---|---------------|---|
| ⊳ | YA0856        | Adjustable top air system<br>sizes from L 60 to XXXL 64 |
| w | ithout flow a | diuster:  |

▷ YA0834 Top air system sizes from XS 54 to L 59 ⊳ YA0857 Top air system

sizes from L 60 to XXXL 64

ST5 RANGE

### SIDE AIR SYSTEM

The driver can breath fresh air when driving in close cockpit cars. The air coupling for the helmet is made for tubes of a 20 mm Ø. Couplings are available for tubes with a different diameter, up to 32 mm.

### ▷ YA0653

▷ YA0639

• ST5 RANGE







YA0653





"It's very light and very comfortable. Stilo provided me with a custom fitting that fits my head perfectly. Very recommended and very good looking"

James Calado



"I started using Stilo this year but it was love at first sight. The helmet is extremely light and comfortable. The integrated connectors are really helpful for GT racing. Stilo's assistance is perfect and always present around the world. In others words Stilo is everything you want from a helmet!" Alessandro Pier Guidi



"Functionality, lightness and comfort, Stilo perfectly combines all these values. In our world the helmet plays a key role and Stilo provides us with a product that reflects our tastes and our needs"

Giancarlo Fisichella



"2017 was my first year with Stilo and from the first moment I could feel the perfect custom fitting and specially the lightness is what gives me a perfect comfort for the endurance races"

Miguel Molina



"Anytime I wear it, I enjoy feeling the lightness and comfort on my head"

Davide Rigon



"I've been using Stilo for many years now. The latest "Zero" model offers the best comfort, audio, safety and weight. Relevant also is the service, we race all around the world and we always find Stilo's assistance. Stilo embodies all values that a professional requires" Toni Vilander



"I am very happy with my Stilo helmet as it is light, comfortable and with the great isolation from the noise enables an easy communication with the team also thanks to the protection for the ears inside the helmet. Very clever, I like it a lot!"

Olivier Beretta



"I am extremely happy with my Stilo helmet. It combines optimal safety, comfort, visibility and audio functionality, in other words, every one of the features that a racing driver needs in order to operate at the highest possible level, where small details make a big difference" Sam Bird





### electronic kits

racing


### EUROPE

| INTEGRATED |             |            |                       |
|------------|-------------|------------|-----------------------|
|            | EAR-BUD     | MICROPHONE | RADIO                 |
| ▷ AE0214   | Jack 3.5 mm | Stilo      | -                     |
| ▷ AE0219   | RCA         | MRTC       | -                     |
| ▷ AE0318   | Stilo       | MRTC       | -                     |
| ▷ AE0332   | RCA         | Stilo      | -                     |
|            | NON-INTEG   | RATED      |                       |
|            | EAR-BUD     | MICROPHONE | RADIO                 |
| ⊳ AE0305   | RCA         | Stilo      | Stilo female nexus 4c |
| ⊳ AE0313   | RCA         | Stilo      | Peltor male nexus 4c  |
| ▷ AE0314   | RCA         | MRTC       | MRTC male nexus 5c    |
| ▷ AE0315   | Stilo       | Stilo      | Stilo female nexus 4c |
| ▷ AE0317   | RCA         | MRTC       | Stilo female nexus 4c |
| ▷ AE0319   | Stilo       | MRTC       | Stilo female nexus 4c |
| ▷ AE0331   | Jack 3.5 mm | Stilo      | Peltor male nexus 4c  |
| ▷ AE0333   | Jack 3.5 mm | Stilo      | Stilo female nexus 4c |
| ▷ AE0334   | Stilo       | MRTC       | MRTC male nexus 5c    |
| ▷ AE0335   | RCA         | Stilo      | Peltor male nexus 4c  |

USA

| INTEGRATED  |   |                  |        |  |
|---|---|------------------|--------|--|
|   | EAR-BUD                                   | MICROPHONE       | RADIO  |  |
| ▷ AE0210  | Earmuff speakers                          | Stilo -          |        |  |
| ▷ AE0110  | Earmuff speakers                          | Stilo with boom  | -      |  |
| ⊳ AE0214  | Jack 3.5 mm                               | Stilo            | -      |  |
| ► AE0216 Earmuff speakers Gentex with boom                    |   | -                |        |  |
| ▷ AE0217 Jack 3.5 mm Gentex with boom                         |   | Gentex with boom | -      |  |
| ▷ AE0320 Earmuff speakers and ear-bud jack 3.5 mm Gentex with |   | Gentex with boom | -      |  |
| NON-INTEGRATED  |   |                  |        |  |
|   | EAR-BUD                                   | MICROPHONE       | RADIO  |  |
| ⊳ AE0309  | Jack 3.5 mm                               | Stilo            | IMSA   |  |
| ⊳ AE0310  | Jack 3.5 mm                               | Stilo            | Nascar |  |
| ⊳ AE0323  | Jack 3.5 mm                               | Gentex with boom | IMSA   |  |
| ⊳ AE0324  | E0324 Jack 3.5 mm Gentex with boom Nascar |                  | Nascar |  |





▷ AE0326

▷ AE0303

▷ YE0001

RCA earplugs


Jack 3,5 mm earplugs

Spare foam plugs

| ⊳ AE0304 | Earmuff speakers with Stilo male plug |
|----------|---------------------------------------|
|          | Lannun speakers wich Schonnale plug   |

- ▷ AE0325 Earmuff speakers with RCA male plug
- ▷ AE0336 Earmuff speakers with Jack 3,5 mm male plug









Kyle Bush – MONSTER ENERGY NASCAR CUP SERIES



Justin Allgaier – NASCAR XFINITY SERIES



Blake Koch - NASCAR XFINITY SERIES



# RADIO BASIC KIT & RADIO TEAM KIT

The radio kit is the basic configuration for the communication via radio between one car and the engineer at the box. The driver will have one radio, the connection wirings to his helmet, a car antenna and the PTT button to decide when to start and stop the communications. The engineer instead will have a portable radio with antenna and belt clip, one headset with a noise cancelling microphone and the connection cable for the portable radio.

The communication can also be extended from one engineer to more people at the box through the Radio Team kit version that features 3 portable radios for the pit.

Both versions can be prepared according to the type of car and to the type of radios devices that the team prefers: analogical, digital or digital advanced. GT cars can be equipped with a car radio, fed through the car battery while Formula single seaters will have a portable radio.

All kits come with a practical case for the transportation and the recharge of the radio devices and the headset. The radio programming software cables are always included as well to allow the maximum flexibility and ease of use in any race. Like with all radio systems, the BASIC and the TEAM kit can be implemented or integrated in a wider system, simply modifying the device programming.

### Basic kits:

- CQ0020/21/22: GT Single Car Single pit Analogical/ Digital/ Digital Advanced
- CQ0023/24/25: Formula Single Car Single pit Analogical/ Digital/ Digital Advanced.

### • Team kits:

- CQ0026/27/28: GT Single Car 3 pit Analogical/ Digital/ Digital Advanced
- CQ0029/30/31: Formula Single Car 3 pit Analogical/ Digital Advanced.



### **Car equipment**

### GT:

- Car transceiver system
- Wiring for the connection to the helmet, to the transmission button and the radio feed
- A car antenna
- A PTT transmission button
- Formula:
- Portable device
- Case for the portable device
- Wiring for the connection to the helmet and to the transmission button
- A car antenna
- A PTT transmission button

### Box equipment - 3 radios

- Portable system with battery, antenna and belt clip
- Headset with noise cancelling microphone
- Connection cable for the portable radio



### Box equipment – 1 radio

- Portable system with battery, antenna and belt clip
- Headset with noise cancelling microphone
- Connection cable for the portable radio

### Radio systems – Features

- The radio system can be extended or modified anytime
- Each device can be set to listen and transmit through the desired channels
- Possibility to listen to more radio channels with one single system
- The configuration of the radio system can be modified programming the devices
- Coverage is independent from telephone lines and SIM cards
- Ease of use: you just turn on the devices and use them without further connections nor pairings

### Plus of DIGITAL radios

- Better quality of communications thanks to the digital conversion and DSP organization
- Total absence of background crackles in case of poor signal
- Better signal/noise rate, frequency response and dynamic range
- High privacy level and possibility to encrypt communications
- Better use of the radio spectrum (2 contemporary communications on a single radio channel).

### Plus of DIGITAL Advanced radios

Further to the digital radio advantages, the advanced system also allows:

- Multiple configurations of the radios (that can be quickly set through the keyboard to become,
- for instance mechanic engineer d.s. tyre changer, etc
- Keyboard personalization of radio functions and options
- Better integration in complex radio systems
- The display of the name of the radio that is transmitting.

### Possible integrations:

For any radio systems transmission links can be implemented to noticeably increase the range
 Audio accessories interchangeable for the box radios, headsets, various headsets, audio kits

for the engineers' helmets etc

- Multi PTT keyboards for the direct transmission through the desired channel
- Modifications or customizations can be made on demand.

### Frequencies:

Radio systems can be supplied in VHF or UHF professional civil bands.

# THE USAGE OF RADIOELECTRICS TRANSCEIVERS IS SUBJECT TO THE LICENSE REQUEST AND PAYMENT OF THE RELEVANT FEE.



"I have been using Stilo helmets for years now and really enjoy their products. I really love the integration of the radio and drink system. With this, Stilo is definitly a step in front on the competition"

Nicky Catsburg - WTCC



"I ve been using Stilo since many years, exactly since 2010. Always liked the shape of it, and every new evolution becomes nicer. Also confort feels great. I am kind of a Stilo fan, and its a pleasure to be part of the Stilo family"

LE MA

SERIE

Esteban Guerrieri - WTCC

MRACING



Egor Orudzhev - Matevos Isaakyan - 5MP Racing Team - ELMS SMP RACING

SMP RACING

### VERBACOM CLUB 8 Bluetooth

### Car equipment

Verbacom Club is totally transportable for use in any vehicle or kart. The main Bluetooth unit (1) is self-powered and connects to a mobile phone (4) (Sim card not supplied) which is mounted in the car. This unit has volume controls and a visible system status light for the driver, and also an on/off switch. This weighing just 66 gr and measuring 74 x 47 x 15 mm it is extremely small and light. Helmet wiring (3) with an extension cable connects into the driver's helmet (AE0300 and AE0315 are required should your helmet have no wiring).





#### The first car to pit communication system using mobile phones

### Advantages

- Licenses: there is no need for a license as it uses mobile telephone Sim cards.
- Full Duplex: while also totally private and secure, the both phones allow each of the crew to talk at the same time.
- Coverage: unlike temperamental radio systems, the Verbacom allows communication on any length of circuit as it uses mobile phone signals.
- **Clarity:** using digital noise cancelling the communications give excellent voice clarity, which has been tested in F3 to F1 cars, and GT to Le Mans vehicles.
- Easy to Use: this unit has been designed around professional motorsport, and is extremely easy to use and setup. Simple and very very effective.
- In Car: the driver does no more than plug in and drive. Thanks to the digital noise cancellation that cancels all background noises, there's no need to use a PTT button and the driver can speak anytime.
- Lightweight and Compact: the Verbacom is very lightweight in comparison to normal radio systems giving performance all round.

#### Verbacom CLUB available versions:

- CQ0001 Single Car to Single Pit Headset
- CQ0002 Single Car to Two Pit Headsets
- CQ0003 Two Cars to a Single Pit Headset
- CQ0008 Single Car to Single Pit Headset without phones
- CQ0009 Single Car to Two Pit Headsets without phones
- CQ0010 Two Cars to a Single Pit Headset without phones

### How it works

Verbacom offers drivers a cost effective and very efficient car to pit communication system by using mobile phones. The Pit wall phone calls the car phone before the car starts, the car unit is programmed to automatically answer and the phone call is kept open keeping the car and Pit unit continually connected until switched off. The communication between units is always open, the pit crew press the push to talk button on the headset to transmit to the driver, whilst the driver can simply speak without pressing any button thanks to the digital noise cancellation that cancels all background noises.. If for any reason the signal is lost and call is dropped? The pit phone automatically calls the car

 Noise reduction headsets are self powered and have either a single or double Bluetooth unit subject to the system you buy. These connect to a mobile phone (2) by Bluetooth for communication with the car, or wirelessly to the second pit headset (1).



Pit equipment

CAR - ENGINEER

CAR 1  $\leftarrow$  ENGINEER  $\leftarrow$  CAR 2 CAR 1  $\leftarrow$  ENGINEER  $\leftarrow$  TECHNICIAN

**Bluetooth** 







"It's been a pleasure working this year with the people at Stilo. They understand what it takes to deliver a product for professionals within the sport. For me, the main priorities are to feel safe and to have great visibility when sitting behind the wheel, and that's why I choose Stilo. "

Christina Nielsen



#### EJECT SYSTEM

The device is constituted by a small air bladder (to be fitted between the top of the helmet and the EPS) with a small tube. The system can be fitted into any Stilo helmet produced as of 2010. In case of accident, after cutting the chin tether, first responders can inflate the Eject System, lifting the helmet off the driver's head without moving his neck and therefore reducion neck or spine invires.

⊳ YA0014



HELMET BAG

Designed to carry one helmet with hans device attached. Constructed of nylon and neoprene.

⊳ **YY0016** 



| CAP        |
|------------|
| Stilo cap. |
|            |

▷ YY0011

"Unique design and unrivalled comfort" Alessandro Balzan





"To me, wearing Stilo means being ready, focused, feeling that everything fits perfectly and then, when I lower my visor I feel safer, more protected...stronger!"

Marco Cioci

"Stilo was the first helmet I put on which immediately felt comfortable on my head. Not only that but the design of the shell is light years ahead of the competition, the aggressive look and sharp viewport is amazing. It is also the lightest helmet I've ever worn and even after winning the 24 hours of Spa my neck was in perfect condition and ready to do it again thanks to the STS Zero!"

David Perel



CO-DRIVER RALLY WATCH

This is the first fully functional watch of its kind, and is designed to compliment all the timing functions that a co-driver requires. Stilo watch, designed by Nicky Grist, is easy to set-up and capture, read, store and recall data. Prestart option of next whole minute or user choice in seconds. (including instant start) Dual time of day and stopwatch display with freeze time of day and stopwatch me.

⊳ YY0003





### More Information

| ⊳ | Accessories                    | <br>23 |
|---|--------------------------------|--------|
| ⊳ | Intercoms and<br>communication | 29     |



# karting



- Directly derived from the Racing version
- A range with no equal in 3 different materials
- Design dedicated to the best aerodynamics and the best cooling
- Prepared for Hans posts according to FIA 8858-2010 regulations
- Optional set up: microphone housing
- Wide aerodynamics personalization



### THE MOST COMPLETE KARTING RANGE

"I have been using Stilo helmets for over 5 years now and would never go back. They have superior comfort levels as well as being one of the lightest helmets with an excellent field of vision, all of which are crucial in Karting. The stylish looks, weight, comfort and safety of the Stilo means I know I have made the best choice"

Tiffany Chittenden





STSF N Carbon STSF N Composite



ST5F N CMR

|              |             | STSF N CARBON                 | STSF N COMPOSITE                                  | ST5F N CMR       |
|--------------|-------------|-------------------------------|---|------------------|
| Material     |             | normal tensile<br>carbon      | fiberglass - kevlar MSF<br>(Multi Sandwich Fiber) | carbon - kevlar  |
| Weight       | small shell | 1.350 g                       | 1.520 g   | 1.200 g          |
| +-30 g       | large shell | 1.400 g                       | 1.660 g   | -                |
| Size         | small shell |                               |   |                  |
| Size         | large shell | L 60, XL 61, XX               | KL 63, XXXL 64                                    | -                |
| Version      |             | AA710AF1M                     | AA0710AF2M  | Black AA0711AH4P |
|              |             | AA7 TUAF TW                   |   | White AA0713AH4P |
| Homologation |             | FIA 8859-2015<br>SNELL SA2015 | FIA 8859-2015<br>SNELL SA2015                     | CMR2016          |

# OFFSHORE RANGE

### More Information

THE HELMETS





# offshore



Version

Homologation

large shell

L 59, XL 61, XXL 63, XXXL 64

DA0210BF2M

FIA 8859-2015

SNELL SA2015

L 60, XL 61, XXL 63, XXXL 64

DA0702BF2M

FIA 8859-2015

SNELL SA2015

٦٦

L 59, XL 61, XXL 63, XXXL64

DA0110EF2M

FIA 8859-2015

SNELL SA2015



Via Carducci 17 - 24066 Pedrengo (BG) Italy Phone: +39 035 690 040 - Fax: +39 035 691 559 info@stilo.it - stilo.it